

SQUARE PRO LED

STRÅLKASTARE

550W/810W/1100W



Lyckorna driving range
SQUARE PRO LED 550W



SQUARE PRO LED
550W/810W/1100W

SQUARE PRO LED

IP 66


SQUARE PRO LED

Asymmetrisk smalstrålande

SQUARE PRO LED	550W/4000°K/64091 lm	77 641 15
SQUARE PRO LED	810W/4000°K/92501 lm	77 641 17
SQUARE PRO LED	1100W/4000°K/110137 lm	77 646 53

Asymmetrisk medelstrålande

SQUARE PRO LED	550W/4000°K/68595 lm	77 641 16
SQUARE PRO LED	830W/4000°K/100065 lm	77 641 18
SQUARE PRO LED	1100W/4000°K/117265 lm	77 646 54



Tillbehör

Vertikal arm		77 641 19
Drivdonsbox	600W	77 641 20
Drivdonsbox	900W	77 641 21
Drivdonsbox	1100W	77 646 55
Drivdonsskåp	3x600W	77 641 22
Drivdonsskåp	4x600W	77 641 23
Drivdonsskåp	3x900W	77 641 24
Drivdonsskåp	4x900W	77 641 25




Vertikal arm



Drivdonsbox




Drivdonskåp



Samtliga lumental är uppmätta ut ur armatur.
Samtliga armaturer finns även med 5700°K.


Beräkningsexempel



Yta 100x100m 20lux mast 24m

4st SQUARE PRO LED 830W/4000°K/92501 lm 77 641 17

4st Drivdonsbox 900W 77 641 21



Golf range

3st SQUARE PRO LED 550W/4000°K/63948lm

06269894

3st Drivdonsbox 600W

77 641 20



Lyckorna driving range
SQUARE PRO LED 550W



Lyckorna driving range
SQUARE PRO LED 550W

Montagehöjd för SQUARE PRO LED

<p>Höjd: 18m SQUARE PRO LED 552W 77 641 15 40x40m = 25lux</p>	<p>Höjd: 24m SQUARE PRO LED 552W 77 641 16 50x50m = 15lux</p>	<p>Höjd: 24m SQUARE PRO LED 830W 77 641 17 50x50m = 25lux</p>	<p>Höjd: 30m SQUARE PRO LED 830W 77 641 18 60x60m = 15lux</p>
--	--	--	--