

26


INDOOR

2026



ABSENT ESSENTIAL

- Infälld
- IP40
- UGR <19
- Dikttak
- RA >94
- Mac Adams 3
- Vit
- L80 B20 >100.000h



Mått mm
595x595x30

3000K

ARTIKELNUMMER	W	Lumen	Styrning
1300101	25/36	2645/3809	DIP-switch
1300102	36	3809	DALI

4000K


ARTIKELNUMMER	W	Lumen	Styrning
1300103	25/36	2871/4140	DIP-switch
1300104	36	4140	DALI

3000K

ARTIKELNUMMER	W	Lumen	Styrning
1300105	36	3809	On/Off
1300106	36	3809	DALI

4000K

ARTIKELNUMMER	W	Lumen	Styrning
1300107	36	4140	On/Off
1300108	36	4140	DALI




Mått mm
1195x295x30

3000K

ARTIKELNUMMER	W	Lumen	Styrning
1300109	60	6578	On/Off
1300110	60	6578	DALI

4000K


ARTIKELNUMMER	W	Lumen	Styrning
1300111	60	7150	On/Off
1300112	60	7150	DALI



Mått mm
1195x595x30

PLATO

- Infälld
- IP40
- UGR <19
- Dikttak
- RA >90
- Mac Adams 3
- Vit
- L80-B10 >120.000h



Mått mm
595x595x9









3000K



ARTIKELNUMMER	W	Lumen	Styrning
1300113	32	3706	On/Off
1300114	32	3706	DALI

4000K

ARTIKELNUMMER	W	Lumen	Styrning
1300115	32	4026	On/Off
1300116	32	4026	DALI

ISA

-  Infälld
-  IP40
-  UGR <16
-  Dikttak
-  CRI >80
-  Mac Adams 3
-  Vit
-  L80 B50 >100.000h



Mått mm
595x595x35








3000K


ARTIKELNUMMER	W	Lumen	Styrning
1300117	32	4011	On/Off
1300118	32	4011	DALI

4000K

ARTIKELNUMMER	W	Lumen	Styrning
1300119	32	4229	On/Off
1300120	32	4229	DALI

QUADRA IP

-  Infälld
-  IP65
-  UGR <19
-  CRI >80
-  Mac Adams 3
-  Vit
-  L80 B50 >100.000h



Mått mm
595x595x35

4000K


ARTIKELNUMMER	W	Lumen	Styrning
1300121	36-44	4642-5339	DIP-switch

TILLBEHÖR TILL PLATO 60X60

Montageram

ARTIKELNUMMER

1200101










Täckram cirkulär


ARTIKELNUMMER

1200102



HALL MULTIWATT

-  Infälld
-  IP54
-  UGR <19
-  RA >90
-  Mac Adams 3
-  Vit
-  L80 B10 >80.000h



MEDIUM - 3000K

ARTIKELNUMMER	W	Lumen	Styrning
1400101	10-26	1405-3655	DIP-switch
1400102	26	3655	DALI

MEDIUM - 4000K


ARTIKELNUMMER	W	Lumen	Styrning
1400103	10-26	1453-3780	DIP-switch
1400104	26	3780	DALI

LARGE - 3000K









ARTIKELNUMMER	W	Lumen	Styrning
1400105	10-26	1405-3655	DIP-switch
1400106	26	3655	DALI


LARGE - 4000K

ARTIKELNUMMER	W	Lumen	Styrning
1400107	10-26	1453-3780	DIP-switch
1400108	26	3780	DALI



MOON

-  Dikttak
-  IP65
-  UGR <22
-  Vägg
-  RA >80
-  Mac Adams 3
-  Vit
-  L80 B10 >50.000h




SMALL - 3000K

ARTIKELNUMMER	W	Lumen	Styrning
1600101	13	1055	On/Off

SMALL - 4000K

ARTIKELNUMMER	W	Lumen	Styrning
1600102	13	1158	On/Off











MEDIUM - 3000K


ARTIKELNUMMER	W	Lumen	Styrning
1600103	18	1921	On/Off
1600104	25	2340	On/Off
1600105	18	1921	DALI
1600106	25	2340	DALI
1600107	18	1921	Närvarosensor
1600108	25	2340	Närvarosensor

MEDIUM - 4000K

ARTIKELNUMMER	W	Lumen	Styrning
1600109	18	2014	On/Off
1600110	25	2515	On/Off
1600111	18	2014	DALI
1600112	25	2515	DALI
1600113	18	2014	Närvarosensor
1600114	25	2515	Närvarosensor

LUMI BLADE

-  Dikttak
-  IP23
-  UGR <22
-  Pendlad
-  RA >80
-  Mac Adams 3
-  - Silver
-  L80 B10 >100.000h










Mått mm
1670x88x66

4000K

ARTIKELNUMMER	W	Lumen	Styrning
1700101	51-74	9450-13124	DIP-switch
1700102	92	15612	On/Off
1700103	74	13124	DALI
1700104	92	15612	DALI


RGL

-  Dikttak
-  IP44
-  UGR <22
-  RA >80
-  Mac Adams 3
-  - Vit
-  L80 B10 >100.000h



600 - 3000K/4000K


ARTIKELNUMMER	W	Lumen	Styrning
1800101	20	3000	On/Off
1800102	20	3000	DALI
1800103	20	3000	Närvarosensor



Mått mm
610x168x82

1200 - 3000K/4000K


ARTIKELNUMMER	W	Lumen	Styrning
1800104	25-40	3750-6000	DIP-switch
1800105	40	6000	DALI
1800106	40	6000	Närvarosensor



Mått mm
1210x168x82








1500 - 3000K/4000K


ARTIKELNUMMER	W	Lumen	Styrning
1800107	35-50	5250-7500	DIP-switch
1800108	50	7500	DALI
1800109	50	7500	Närvarosensor



Mått mm
1510x168x82

BALI


-  Pendlad
-  IP40
-  UGR <16
-  RA >80
-  Mac Adams 3
-  - Vit
-  L90 B10 >50.000h



Mått mm
1136x56x77

SMALL - 3000K

ARTIKELNUMMER	W	Lumen	Styrning
1900101	26	3643	Dragdimbrytare



Vi reserverar oss för tryckfel och ändringar i tekniska specifikationer.